Apphatec[®]

3000 Overboots - Model 406

Durable, comfortable multi-layer chemical barrier

Previously known as: MICROCHEM[®] 3000 - Model 406

Durable and comfortable protective footwear, granting a multi-layer chemical barrier.

- Specialized protection: The AlphaTec[®] 3000 STANDARD Overboots Ultrasonically Welded & Taped – Model 406 grants a protective multi-layer barrier fabric that is extremely effective against inorganic chemicals and biological hazards
- Heightened visibility: This protective footwear is highly visible, thanks to its bright yellow color, which helps improve workplace safety in low-light conditions
- Lightweight feel and increased durability: Light and durable by nature, these safety overboots offer a blend of comfort and protection



Industries

- Chemical
- Mining .
- Food Processing •
- Oil and gas •
- Life Sciences •
- Automotive • Aftermarket
- Utilities •

Applications

- Unexpected leakages spills or other releases
- Product inspection •
- Cleaning of plant and machines
- Transferring liquids and solids between vessels and tanks and process equipment
- Opening and draining pumps valves or lines
- Loading and unloading of trucs and vehicles
- Filling, blending and charging of raw materials
- Mixing or loading chemicals


Technology



KEY FEATURES & BENEFITS

- Multi-layer barrier fabric: For safety footwear with chemical resistance
- Bright yellow color: Personal protection from • workplace injuries
- Lightweight and durable: For all-day comfort, hard-• wearing protection

Seam Diagram





Performance Standards



Product Information

Product Information	
Available Sizes	One Size
Color	Yellow
Country Of Origin	China
Packaging Overview	30 PR in a compressed bag
Product Material	Multi-layer non-woven barrier Laminate fabric
Product Reference	3000 Overboots - Model 406
Standards Overview	CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, Type PB [6]-B, EN 14126
Seam Type	Welded and Taped
Shelf Life	5 years
Style Number	Y30T406



Suit components & accessories

Suit Components and Accessories	
Design Features	Overboots, elastic to top of boot, tie fastening

For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia Ansell Limited T: +61 1800 337 041

Ansell, $^{\textcircled{B}}$ and $^{\texttt{M}}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking B 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

