

Previously known as: MICROCHEM® 3000 Overshoes - Model 400

Comfortable and lightweight safety footwear, providing a multi-layer chemical barrier.

- **Specialized protection:** Composed of protective multi-layer barrier fabric, AlphaTec® 3000 Overshoes Ultrasonically Welded & Taped - Model 400 affords superb resistance against inorganic chemicals and biological hazards
- **Heightened visibility:** Bright yellow in color, these overshoes not only offer chemical resistance but also high visibility in dark environments to boost worker safety
- **Lightweight feel and improved durability:** In addition, they are among the most comfortable, lightweight and robust protective footwear on the market




Industries

- Chemical
- Mining
- Food Processing
- Oil and gas
- Life Sciences
- Automotive Aftermarket
- Utilities

KEY FEATURES & BENEFITS

- **Multi-layer barrier fabric:** For chemical-resistant work footwear
- **Highly visible bright yellow color:** Reduced workplace injuries
- **Lightweight and durable:** Flexible and long-lasting personal protection

Material Diagram




Applications

- Unexpected leakages spills or other releases
- Plant disinfection and sanitization
- Tank Cleaning
- Emergency Response
- Transferring liquids and solids
- Spill or leakage cleanup
- Maintenance
- Contaminated Environments


Technology



Seam Diagram



Performance Standards



Product Information

| Product Information | |
|---------------------|------------------------------------------------------------------------|
| Available Sizes | One Size |
| Color | Yellow |
| Country Of Origin | China |
| Packaging Overview | 50 PR in a compressed bag |
| Product Material | Multi-layer non-woven barrier Laminate fabric |
| Product Reference | 3000 Overshoes - Model 400 |
| Standards Overview | CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, Type PB [6]-B, EN 14126 |
| Seam Type | Welded and Taped |
| Shelf Life | 5 years |
| Style Number | Y30T400 |

Suit components & accessories

Suit Components and Accessories

Design Features

Overshoes, elasticated opening

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

