

4000 - Model 125 Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

Previously known as: MICROCHEM[®] 4000 - Model 125-G02

Multi-layer, heavy-duty chemical-protective suit, resistant to over 200 chemical hazards.

- Specialized protection: The AlphaTec[®] 4000 Ultrasonically Welded & Taped - Model 125-G02 is a heavy-duty chemical protective suit, permeationtested for protection from over 200 chemical hazards*, among which are chemical warfare agents
- Enhanced defenses: Thanks to the addition of double cuffs and dual-zip systems, this protective suit's barrier protection is further bolstered
- Increased strength: It also remains strong and robust, owing to its welded and taped seams
- Optimized comfort: Its knitted inner cuffs and inner textile-type fabric ensure wearer acceptance, for improved everyday comfort
- Improved fit: Designed with an elasticated twopiece hood and an elasticated waist, cuffs and ankles, this protective suit is easy to don, remove and use on an ongoing basis
- Certified antistatic capabilities: In addition, it is tested against EN 1149-5 and AATCC 76 antistatic standards

*CE Category III Type 3/4/5 protection





Industries

- Chemical
- Life Sciences •
- Mining •
- Fire and Rescue •
- Oil and gas . Automotive Aftermarket
- **Emergency Medical** Services
- Food Processing .

KEY FEATURES & BENEFITS

- Far-reaching permeation testing: Resistance to • numerous chemicals*
- Double cuffs and dual-zip systems: Further • enhanced personal protection
- Taped and welded seams: Stronger and more • robust protective barrier

*including chemical warfare agents


Material Diagram

Applications


- Contaminated • Environments
- Chemical Handling •
- Filling, blending and charging of raw materials
- Transferring liquids and • solids
- Opening and draining pumps valves or lines
- Loading and unloading of proces equipment
- Raw material sample collection
- Concentration mixing and palletisation
- Hazmat response Assembly and
- disassembly of equipment

Technology





Seam Diagram





Performance Standards



Product Information

| Product Information | |
|---------------------|--|
| Available Sizes | S, M, L, XL, 2XL, 3XL, 4XL, 5XL |
| Color | Green |
| Country Of Origin | China |
| Models Available | 103, 111, 121, 122, 125-G05, 132, 162 |
| Packaging Overview | Individually Packed |
| Product Material | Multi-layer non-woven barrier Laminate fabric |
| Product Reference | 4000 - Model 125 |
| Standards Overview | CE CATEGORY III (Type 3-B, Type 4-B, Type 5-B, EN 1073-2, EN 14126, EN 1149-5) |
| Seam Type | Welded and Taped |
| Shelf Life | 5 years |
| Style Number | G40T125B |



Suit components & accessories

| Suit Components and Accessories | |
|---------------------------------|---|
| Design Features | 2-piece hood, double cuffs, double zip closure, elasticated hood, waist and boot overflaps. Integrated socks with boot overflaps and attached Ansell AlphaTec [®] 02-100 Gloves. |
| Gloves And Attachments | AlphaTec [®] 02-100 |

For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia Ansell Limited T: +61 1800 337 041

Ansell, $^{\textcircled{B}}$ and $^{\texttt{M}}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking B 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

