

## Sterile overshoes

BioClean CPE sterile disposable overshoes are the economical choice.

### KEY FEATURES & BENEFITS

Lightweight  
Disposable  
Easy to don  
Elastic opening enables a secure fit over shoe



### Industries

- Controlled and Critical Environments
- Production and Manufacturing



**S-CPE**  
Sterile overshoes

## TECHNICAL DATA SHEET

	Product Information
Manufacturing/QMS Audit Standards	Manufacturing QMS Audit Standards ISO 9001, PPE Regulation 2016 425 Module D
Packaging	One pair per sealed inner PE bag; 10 inner bags per sealed outer PE bag; 15 outer bags per lined carton (150 pairs)
Sterilization Method	Gamma Irradiation
Shelf Life	Three (3) years from date of manufacture.



**S-CPE**  
Sterile overshoes

## PERFORMANCE STANDARDS AND REGULATORY COMPLIANCE

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

**Asia Pacific Region**

Ansell Global Trading Center  
T: +603 8310 6688  
F: +603 8310 6699

**North America Region**

Ansell Healthcare Products LLC  
US T: +1 800 800 0444  
US F: +1 800 800 0445  
CA T: +1-800-363-8340

**Latin America & Caribbean Region**

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

**Australia**

Ansell Limited  
T: +61 1800 337 041  
F: +61 1800 803 578

**UK**

Ansell Nitritex  
T: +44 1638 663338  
F: +44 1638 668890

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

