

# **11-250** The most comfortable sleeve with Intercept technology



# Our best Cut Sleeves, now made green

• Heightened defenses: HyFlex<sup>®</sup> 11-250 is designed with INTERCEPT<sup>™</sup> Cut Resistance Technology, meeting ANSI/ISEA 105-2024 CUT A3 and EN ISO B standards for arm protection.

• Elevated comfort: Their seamless HPPE yarn offers users a cool, breathable feel, while their bicep cuff keeps them securely in place

• **Reduced contaminant risks:** The risk of contaminant transfer to metal before painting is reduced, as they are silicone-free

The HyFlex<sup>®</sup> 11-250's over-edges come in red, black or light blue, for narrow, wide or extra-wide
Food handling compliance: HyFlex<sup>®</sup> 11-250 sleeves comply with FDA food handling regulations 21 CFR 177.1520 and 21 CFR 177.2600

• Certified harm-free: Oeko-Tex<sup>®</sup> certification indicates they are free of substances harmful to human health

• Sustainable design: HyFlex<sup>®</sup> 11-250 sustainable sleeves are designed with 37% recycled content\* reducing our carbon footprint by 102g CO2eq/piece\*\*

\*% is the minimum recycled content in final product \*\* vs standard nylon sleeve



#### Industries

- Automotive
- Automotive Aftermarket
- Machinery and Equipment
- Metal fabrication

#### **Applications**

- Press shop operations
- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Handling structural and body components
- Inspection, selecting, checking parts
- Glass repair and replacement
- Seizing structural and body parts
- Body Surface checking, marking and touching up
- Adjusting systems and screwing
- Adjusting panels parts components





# **11-250** The most comfortable sleeve with Intercept technology

## **Key Features**

- INTERCEPT™ Cut Resistance: ANSI/ISEA 105-2024 CUT A3 and EN ISO B protection
- HPPE yarn: Arm protection sleeves that ensure a cool, breathable feel
- **Silicone-free:** Avoiding contaminant transfer to metal prior to painting
- Sleeve made with 37% recycled content\*: Carbon footprint reduction of 102g CO2eq/piece\*\*

\*% is the minimum recycled content in final product \*\* vs standard nylon sleeve

## **Performance Standards & Regulatory Compliance**



#### **Specifications**

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	PACKAGE
HyFlex <sup>®</sup> 11-250	Liner Material: Ansell INTERCEPT™ Technology Cuff Style: Knitwrist without thumbslot	15	Wide, Extra Wide	12" (30 cm), 16" (40 cm), 18" (45 cm)	50 sleeves/carton

#### For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. Blvd. Bernardo Quintana No. 7001-C, Q7001 Torre II. Suites 1304, 1305 y 1306. Col. Centro Sur, cp. 76079 Queretaro, Qro. Mexico T: +52 442 248 1544 / 248 3133 North America Region Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 900 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Canada Ansell Canada 105 Lauder Cowansville, QC J2K 2K8 Canada T: +1 800 363 8340 F: +1 800 267 3551 Australia Ansell Limited Level 3,678 Victoria Street, Richmond, Vic, 3121 Australia T: +61 1800 337 041 F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center (Malaysia) Sdn Bhd Prima 6, Prima Avenue Block 3512, Jalan Teknokrat 6 T: +603 8310 6688 F: +603 8310 6699

Ansell, <sup>®</sup> and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.



## Technologies

