

## 2000 Overshoes - Model 417

Superior breathable microporous laminate technology

Previously known as: MICROGARD® 2000 Overshoes - Model 417

# Safety overshoes designed with superior breathable microporous laminate technology.

- Certified protection: AlphaTec<sup>®</sup> 2000 STANDARD Overshoes Bound - Model 417 provides a proven protective barrier against lowconcentration liquid chemicals and liquid and particulate biological hazards
- Increased comfort: To ensure greater comfort and mitigate heat stress, these protective overshoes are made of moisture vapor permeable fabric
- Advanced ergonomics: As they are designed with greater wearer comfort and safety in mind, these safety overshoes ensure an optimized fit
- Reduced contamination risks: AlphaTec<sup>®</sup> 2000 STANDARD Overshoes Bound - Model 417 has a low lint composition, which alleviates contamination risks





#### **Industries**

- Life Sciences
- Metal fabrication
- Food Processing


#### **Applications**

- Clean room cleaning and preparing
- Production line support & maintenance
- Maintenance of plant and machines
- Veterinary ServicesCleaning of plant and machines
- Body painting including surface inspection

#### **KEY FEATURES & BENEFITS**

- Protective barrier: Enhanced biological and chemical resistance
- Moisture vapor permeable fabric: Breathable personal protection
- Optimized fit: Increased comfort and safety levels

#### **Material Diagram**



#### **Seam Diagram**





### **Performance Standards**









### **Product Information**

Product Information	
Available Sizes	39-42, 42-46, 46-48
Color	White
Country Of Origin	China, Sri Lanka
Packaging Overview	50 pairs every compressed bag
Product Material	Microporous polyethylene Laminate non-woven
<b>Product Reference</b>	2000 Overshoes - Model 417
Standards Overview	CE CATEGORY III (Type PB (6)-B, EN 14126)
Seam Type	Bound
Shelf Life	5 years
Style Number	W20B417



#### Suit components & accessories

**Suit Components and Accessories** 

**Design Features** 

Elasticated opening, bound seams and ESD PVC sole.

#### For additional in formation visit us at www.ansell.com, or call us at

**Europe, Middle East & Africa Region** Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region
Ansell Global Trading Center
T: +603 8310 6688

North America Region Ansell Healthcare Products LLC T: +1 800 800 0444

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 **Australia** Ansell Limited T: +61 1800 337 041

Ansell,  $^{\circledR}$  and  $^{\intercal}$  are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking  $^{\circledR}$  2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

