

## 66-672 Bib Overall

NFPA 1990 (NFPA 1992) and NFPA 2112 certified bib-overall is breathable, re-usable and resistant to chemical splash, flash fire, arc flash and hot liquids.

### NFPA 1992- and NFPA 2112- certified bib overalls offering breathability and reusability.

- **Advanced protection:** The AlphaTec® Breathable FR Bib Overall 66-672 is designed with chemical splash fabric, which provides protection, with penetration data for more than 70 chemicals
- **Increased defenses:** This reusable protective suit's flame-resistant material also guards against flash fires, arc flashes and hot liquids
- **Improved comfort:** Owing to their breathable fabric, these flame-resistant bib overalls lower the risk of heat stress, while increasing productivity
- **Enhanced features:** These chemical protective garments not only have sealed seams and double front storm flaps that deliver leaktight protection from chemical sprays, but also possess flame-resistant adjustable straps and buckles, and hook-and-loop fastenings at the legs



## Industries

- Chemical
- Food Processing
- Mining
- Maintenance
- Metal fabrication


## Applications

- Plant disinfection and sanitization
- Oil Platforms
- Mining
- Metal Plating
- Food Processing
- Sanitation
- Utilities
- Energy
- Water plants
- Pulp and Paper Production
- Transport of hazardous substances
- Potential Flash Fire

## KEY FEATURES & BENEFITS

- **Chemical splash fabric:** Personal protection from over 70 chemicals
- **Flame-resistant fabric:** Reduced injuries, enhanced workplace safety
- **Breathable fabric:** Increased comfort and heat stress protection

## Seam Diagram



## Performance Standards



ASTM F1671



EN 1149-5

## Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL, 7XL
Color	Blue
Country Of Origin	Canada
Packaging Overview	Individually Packed
Product Material	White Nomex <sup>®</sup> inner with breathable membrane and Blue Nomex <sup>®</sup> outer
Product Reference	66-672 Bib Overall
Standards Overview	<ul style="list-style-type: none"><li>• NFPA 1990 (NFPA 1992)</li><li>• NFPA 2112</li><li>• Tested to ASTM F955-2015 - Standard Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances</li><li>• ASTM F1671 - Resistance to bloodborne pathogens</li><li>• EN 1149-5 - Electrostatic properties</li></ul>
Seam Type	Stitched and Taped
Shelf Life	5 years
Style Number	B66672

**For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at**

**Europe, Middle East & Africa Region**

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**

Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**

Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**

Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

