



## R-168

Versatile impact and cut protection with the ultimate grip.



Impact

Abrasion Protection

Chemical Protection



Cut



Medium Duty

# Medium-duty impact gloves, combining high cut protection with a PVC palm for superior grip

- **Specialized protection:** Developed with Technology™, RINGERS® R168 Super Hero impact gloves feature a patented TPR (thermoplastic rubber) design and offer ANSI/ISEA 138 level 2 impact protection
- **Strengthened grip:** A PVC palm with Kevlar® stitching makes for cut-resistant gloves with optimal grip, while an added palm layer enhances cut resistance
- **Improved durability:** These work gloves' PVC palm and seamless index finger design ensure superior durability and dexterity
- **Enhanced features:** A hook and loop pull tab closure ensures a secure cuff with an adjustable fit, while their wraparound index finger design guards against wear and tear



### Industries

- Food Processing
- Manufacturing
- Mining
- Oil and gas
- Machinery and Equipment
- Automotive Aftermarket

### Applications

- Makeup and breakout tools
- Running tools into the wellbore
- Handling explosives
- Assembly and disassembly of large pipes
- Engagement and release of drill string slips
- Unloading and stacking pipe
- Preparation of site - unloading of lines and valves
- Set-up of pressure manifold and tubing injector head
- Preparation of site - set-up and disassembly of tool string
- General pumping work
- Handling iron - rigging work
- Handling of tools
- Heavy machine operation
- Equipment repair & maintenance
- Maintenance of plant and machines
- Unpacking of bulk goods
- Scaffolding
- Loading and hauling
- Assembling and mounting components
- Seizing rough blocs and cylinders
- Production line support & maintenance



# R-168

Versatile impact and cut protection with the ultimate grip.

## Key Features

- **Optimized TPR design:** Knuckles, thumb and finger protection
- **PVC palm with Kevlar® stitching:** Enhanced grip performance
- **EN- and ANSI/ISEA-certified abrasion resistance:** Heightened durability

## Performance Standards & Regulatory Compliance

ANSI/ISEA 105-2024



ANSI/ISEA 138-2019



EN388: 2016



3X43EP

## Specifications

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	COATING COLOR	PACKAGE
RINGERS® R168	Liner Material: HPPE Cuff Style: Safety Cuff		8, 9, 10, 11, 12, 13	Red	5 pairs/bag, 10 bags/carton

## For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
Riverside Business Park  
Blvd International, 55  
1070 Brussels, Belgium  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

### North America Region

Ansell Healthcare Products LLC  
111 Wood Avenue South,  
Suite 900  
Iselin, NJ 08830, USA  
T: +1 800 800 0444  
F: +1 800 800 0445

### Australia

Ansell Limited  
Level 3,678 Victoria Street,  
Richmond, Vic, 3121  
Australia  
T: +61 1800 337 041  
F: +61 1800 803 578

### Asia Pacific Region

Ansell Global Trading Center  
(Malaysia) Sdn Bhd  
Prima 6, Prima Avenue  
Block 3512, Jaijan Teknokrat 6  
T: +603 8310 6688  
F: +603 8310 6699

### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
Blvd. Bernardo Quintana No. 7001-C,  
Q7001 Torre II,  
Suites 1304, 1305 y 1306,  
Col. Centro Sur, c.p. 76079  
Queretaro, Qro. Mexico  
T: +52 442 248 1544 / 248 3133

### Canada

Ansell Canada  
105 Lauder  
Cowansville, QC J2K 2K8  
Canada  
T: +1 800 363 8340  
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

