

1500 - Model 138

Breathable, SMS material, Type 5/6 protection

Previously known as: AlphaTec® 1500 - Model 138

Particle-filtering SMS protective body suit, for light chemical protection with breathable comfort.

- Specialized protection: The AlphaTec[®] 1500 Stitched & Taped - Model 138 ensures light chemical resistance* and is proven to filter 100% of particles over 3 microns in size, including asbestos fibers, like chrysotile
- Heightened breathability: Thanks to the air and water vapor permeability of its SMS fabric, this protective suit also offers users heat stress protection
- Reduced surface defect risks: Being siliconefree, the risk of contaminant transfer to metal prior to painting is greatly diminished
- Enhanced fit and features: This protective outer garment's optimized fit further enhances comfort and it features a three-piece hood for added protective coverage
- Improved durability: The AlphaTec[®] 1500
 Stitched & Taped Model 138's stitched seams make for sturdier protection
- *this protective suit offers CE Category III Type 5/6 protection





Industries

- Machinery and Equipment
- Construction
- Chemical


Applications

- Inspection (picking, checking and marking)
- Asbestos Related Work
- Handling of powders
- General maintenance


KEY FEATURES & BENEFITS

- Particle-filtering SMS fabric: Filters 100% of particles over 3 microns*
- Air and water vapor-permeable design: Lesser risk of heat stress
- **Silicone-free composition:** Suitable for spraypainting applications

Material Diagram



Seam Diagram



^{*}According to the KAKEN particle penetration test

Performance Standards









Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	Navy
Country Of Origin	China
Product Material	SMS fabric
Product Reference	1500 - Model 138
Standards Overview	CE CATEGORY III (Type 5, Type 6, EN 1073-2)
Seam Type	Stitched and Taped
Shelf Life	5 years



Suit components & accessories

Suit Components and Accessories

Design Features

Coverall, 3-piece hood, elasticated hood, wrists, waist and ankles. 2-way front zipper with re-sealable storm flap.

For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133

Australia Ansell Limited T: +61 1800 337 041

Ansell, $^{\textcircled{6}}$ and $^{\textcircled{m}}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{\textcircled{6}}$ 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

