

## 58-530B

## Unique combination of grip and chemical resistance

## Durable chemical-resistant gloves with heightened grip, ideal for outdoor application

- Enhanced grip: AlphaTec<sup>®</sup> 58-530B chemical gloves' ANSELL GRIP<sup>™</sup> coating means less force is needed for handling wet or oily parts
- Elevated comfort: Their black acrylic inner liner enhances comfort while facilitating outdoor application
- Advanced defenses: These AlphaTec<sup>®</sup> gloves' bonded construction, with a coating polymer that doesn't penetrate the liner in manufacture, ensures EN 374 Type A chemical protection
- Improved durability: They also achieve ANSI/ISEA 105-2024 ABRASION LEVEL 5 and EN ABRASION LEVEL 3
- Specialized protection: Beyond chemical protection, they possess EN 407 contact heat level 1, preventing workplace injuries
- Augmented dexterity: AlphaTec<sup>®</sup> 58-530B PPE gloves' light 7-gauge design makes them more dexterous, for maneuverable hand protection

#### **Industries**

- Automotive
- Automotive Aftermarket
- Machinery and Equipment
- Metal fabrication
- Chemical
- Food Processing

#### **Applications**

- Metalworking & assembly operations
- Body painting including surface inspection
- Applying sealers, touching up
- Changing tools and dies
- Handling application & cleaning tools
- Warehousing of raw materials
- Loading and unloading trucks and vehicles
- Filling, blending and charging of raw materials
- Transferring liquids and solids
- Loading and unloading of proces equipment
- Transferring liquids and solids between vessels and tanks and process equipment
- Supervision of running operation
- Handling outgoing goods: cans, vessels, bulkpack and cartons
- Opening furnaces draining pumps valves or lines and crackers BTX process
- Food Processing







# 58-530B

Unique combination of grip and chemical resistance

#### **Key Features**

- ANSELL GRIP™ Technology: Less force needed to grip wet or oily
- Black acrylic liner: Comfortable and ideally colored for outdoor
- Bonded construction: No liner penetration and heightened dexterity

#### **Vulcanization Chemical Accelerators**

• Zinc Diethyldithiocarbamate

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.

#### **Technologies**





#### **Performance Standards**

#### ANSI/ISEA 105-2024





3122A













#### **Specifications**

BRAND   STYLE	DESCRIPTION	GAUGE	SIZE	LENGT H	COLOR	PACKAGE
AlphaTec <sup>®</sup> 58- 530B	Liner Material: Acrylic Coating Material: Nitrile Featured Technology: ANSELL GRIP™	7	7, 8, 9, 10, 11	290 / 11.4	Grey	6 pairs/polybag; 12 polybags/carton

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV Ansell Healthcare Europ Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

### Canada Ansell Canada Inc.

Ansell Canada Inc. 105, rue Lauder Cowansville (Québec) J2K 2K8, Canada T: 1800 363-8340 F: 1888 267-3551

North America Region

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 210 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. Blvd. Bernardo Quintana No. 7001-C Blvd. Bernardo Quintana No. 70 Q7001 Torre II. Suites 1304, 1305 y 1306. Col. Centro Sur, c.p. 76079 Queretaro, Qro. Mexico T: +52 442 248 1544 / 248 3133

