

## Previously known as: TRELLCHEM<sup>®</sup> Splash 600

# Basic and reusable, splash safety coveralls, protecting against chemical sprays.

- Everyday usability and convenience: The AlphaTec<sup>®</sup> 66-300 Model 122 chemical protective suit is ideal for everyday tasks, as it is versatile, reusable and comes in three models that include attached boots
- Optimized defenses and comfort: Designed with strong, flexible and anti-static material, this fullbody protection suit affords both comfort and safety
- Added protection: Besides shielding against chemical sprays in low-risk environments, this red hazmat PPE protects against chemicals and biohazards such as alkalis, acids and infective agents
- **Certified performance:** In addition, these reusable chemical-resistant coveralls comply with EN 14605:2005, Type 4 (spray-tight) requirements





#### Industries

- Fire and Rescue
- Industrial
- Chemical

## Applications


- Chemical Handling
- Fire & Rescue
- First Responders
- Hazmat Teams
- Industrial and Tank Cleaning
- Petrochemicals
- Emergency Teams

#### **KEY FEATURES & BENEFITS**

- Versatile and reusable protective suit: Enhanced practicality
- Strong, flexible and anti-static fabric: For added comfort and safety
- **Biological and chemical resistance:** Superb hazard protection suit

#### **Material Diagram**

Seam Diagram





## **Performance Standards**



## **Product Information**

Product Information	
Available Sizes	2XS, XS, S, M, L, XL, 2XL, 3XL
Color	Red
Country Of Origin	Lithuania
Models Available	111, 122
Packaging Overview	Individually Packed
Product Material	Polyamide fabric, coated with PVC on both sides
Product Reference	66-300 Model 122
Standards Overview	<ul> <li>EN 14605:2005 + A1:2009 type 4 (spray-tight)</li> <li>EN 14126:2003 (infective agent protection)</li> <li>EN 1149-5:2008 (anti-static suit material)</li> </ul>
Seam Type	Double welded
Shelf Life	7 years



#### Suit components & accessories

Suit Components and Accessories	
Design Features	Drawstring hood with chin flap for added protection
	Attached boots
	• Open sleeves with hook-and-loop closure, or fitted with AlphaTec <sup>®</sup> 08-354 gloves (Scorpio)
	• If fitted, gloves are attached with a Bayonet ring system, which offers quick and simple glove exchange
	Nylon zipper, or watertight PVC zipper
	Zipper is covered by a double splash guard/flap with press studs
Gloves And Attachments	Open sleeves with hook-and-loop closure, or fitted with AlphaTec <sup>®</sup> 08-354 gloves (Scorpio). If fitted, gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.
Footwear And Attachments	Attached PVC safety boots.
Zipper	Nylon zipper, or watertight PVC zipper. The zipper is protected by a double splash guard/flap with press studs.
Included With Each Delivery	• 2 pcs extra locking pins for the Bayonet glove ring system (if fitted) • 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system (if fitted) • 1 pce grease stick for lubrication of the zipper (only for suits fitted with watertight zipper)

#### For additional in formation visit us at www.ansell.com, or call us at

 Europe, Middle East & Africa Region
 North America Region

 Ansell Healthcare Europe NV
 Ansell Healthcare Produ

 T: +32 (0) 2 528 74 00
 T: +1800 800 0444

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia Ansell Limited T: +61 1800 337 041

Ansell, <sup>®</sup> and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

