Apphatec[®]

4000 Ultrasonically Welded & Taped - Model

Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

Previously known as: MICROCHEM[®] 4000 - Model 111

Heavy-duty multi-layer protective suit, guarding against over 200 chemical hazards.

- Specialized protection: The AlphaTec[®] 4000 Ultrasonically Welded & Taped - Model 111 is a heavy-duty chemical-protective suit, permeationtested to withstand over 200 chemical hazards*, among which chemical warfare agents
- Enhanced defenses: This full-body protective suit also boasts double cuffs and dual-zip systems, further enhancing its defensive barrier
- Increased strength: Thanks to its taped and welded seams, this protective suit offers users a strong, dependable barrier against a variety of hazards
- **Optimized comfort:** Knitted inner cuffs and inner textile-type fabric facilitates wearer acceptance
- Improved fit: Its elasticated two-piece hood, waist, cuffs and ankles simplify the donning and removal process, for personal protection that is easy to wear
- Certified antistatic capabilities: This protective suit also meets EN 1149-5 and AATCC 76 antistatic standards

*CE Category III Type 3/4/5 protection





Industries

- Chemical
- Life Sciences
- Mining
- Fire and Rescue
- Oil and gasAutomotive Aftermarket
- Emergency Medical Services
- Food Processing

KEY FEATURES & BENEFITS

- Intensive permeation testing: Protection from varied chemicals*
- Double cuffs and dual-zip systems: Extended wear life
- Taped and welded seams: Additional barrier defenses


*including chemical warfare agents

Applications


- Contaminated
 Environments
- Chemical Handling
- Filling, blending and charging of raw materials
- Transferring liquids and solids
- Opening and draining pumps valves or lines
- Loading and unloading of proces equipment
- Raw material sample collection
- Concentration mixing and palletisation
- Hazmat response
- Assembly and disassembly of equipment

Technology





Seam Diagram





WWW.ANSELL.COM

Material Diagram

Performance Standards



Product Information

| Product Information | |
|---------------------|--|
| Available Sizes | S, M, L, XL, 2XL |
| Color | Green |
| Country Of Origin | China |
| Models Available | 103, 121, 122, 125, 132, 162 |
| Packaging Overview | Individually packaged |
| Product Material | Multi-layer non-woven barrier Laminate fabric |
| Product Reference | 4000 Ultrasonically Welded & Taped - Model 111 |
| Standards Overview | CE CATEGORY III (Type 3-B, Type 4-B, Type 5-B, EN 1073-2, EN 14126, EN 1149-5) |
| Seam Type | Welded and Taped |
| Shelf Life | 5 years |
| Style Number | G40T111 |



Suit components & accessories

| Suit Components and Accessories | |
|---------------------------------|---|
| Design Features | Coverall, 2-piece hood, double zip closure, double cuffs with knitted inner cuff. Elasticated hood, waist, wrists and ankles. |

For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 **Australia** Ansell Limited T: +61 1800 337 041

Ansell, [®] and [™] are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

