

**Durable material providing
an effective barrier against a
range of inorganic chemicals
and biological agents..**

DESIGN

One of the lightest and most comfortable chemical protective garments on the market today this durable multi-layer fabric provides an extremely effective barrier against both inorganic chemicals and biological hazards.

Provides a strong liquid and particle barrier

JACKET FEATURES

- 2 piece hood
- Double zip closure
- Elasticated hood, wrists and hem



Industries

- Chemical
- Mining
- Food Processing

Applications

- Unexpected leakages spills or other releases
- Loading and unloading trucks and vehicles
- Loading trucks & vehicles
- Product inspection
- Cleaning of plant and machines

KEY FEATURES & BENEFITS

- Protective multi-layer barrier fabric effective against numerous chemicals
- Highly visible bright yellow color for improved worker safety
- Lightweight and durable


Technology



Material Diagram



Seam Diagram



Performance Standards



EN ISO 13688:2013



Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL
Color	Yellow
Packaging Overview	Individually packaged
Product Material	Multi-layer non-woven barrier Laminate fabric
Product Reference	3000 Jacket - Model 223 WT
Standards Overview	CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, Type PB [6]-B, EN 14126)
Seam Type	Welded and Taped
Shelf Life	5 years
Style Number	Y30T223

Suit components & accessories

Suit Components and Accessories

Design Features

Jacket with collar, double zip closure, elasticated wrists and hem, ultrasonically welded and taped seams.

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

