

4000 Overboots - Model 424

Innovative multi-layer chemical barrier technology

Protective overboots, featuring innovative multilayer chemical barrier technology.

- Advanced defenses: With over 200 chemicals permeation tested, including chemical warfare agents, AlphaTec[®] 4000 Overboots Ultrasonically Welded & Taped Model 424 provide an excellent barrier to a wide range of organic and inorganic chemicals as well as biological agents
- Specialized protection: These innovative green overboots are designed with an innovative multilayer chemical barrier technology, which enhances personal protection in ATEX/EX Zones
- Improved feature: In addition to affording chemical resistance, they possess grooved PVC soles, which reduce the risk of slipping





Industries

- Fire and Rescue
- Mining
- Oil and gas
- Life Sciences
- Chemical
- Automotive Aftermarket
- Food Processing

Applications


- Hazmat response
- Contaminated Environments
- Filling, blending and charging of raw materials
- Transferring liquids and solids
- Concentration mixing and palletisation
- Opening and draining pumps valves or lines
- Loading and unloading of proces equipment
- Raw material sample collection
- Assembly and disassembly of equipment

Technology




KEY FEATURES & BENEFITS

- Superb protection: Exceptional chemical protection
- **Designed for ATEX/EX Zones:** Ideal hazmat PPE for enhanced protection
- Grooved PVC sole: Reduced risk of slipping



Seam Diagram



Page 2 of 4

Performance Standards



Product Information

Product Information	
Available Sizes	One Size
Color	Green
Country Of Origin	China
Packaging Overview	10 pairs/compressed bag; 6 compressed bags/carton
Product Material	Multi-layer non-woven barrier Laminate fabric
Product Reference	4000 Overboots - Model 424
Seam Type	Welded and Taped
Shelf Life	5 years
Style Number	G40T424

Suit components & accessories

Suit Components and Accessories	
Design Features	Overboots, triple sole design consisting of two layers of AlphaTec [®] 4000 with TPR conductive pads and grooved PVC outer soles - no ties, ultrasonically and welded and taped seams.

For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 **Australia** Ansell Limited T: +61 1800 337 041

Ansell, [®] and [™] are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

