



Cut

Abrasion Protection



Medium Duty

## Ultralight abrasion-resistant gloves that offer barehand comfort, dexterity and protection

- **Optimized usability:** The Ansell HyFlex® 11-727's light, barehanded feel, tailored fit and breathable fabric make for consistently comfortable PPE gloves
- **Advanced durability:** Certified EN ABRASION LEVEL 4 and ANSI/ISEA 105-2024 ABRASION LEVEL 6, HyFlex® 11-727 industrial working gloves maintain their resilience against abrasion over time
- **Strengthened defenses:** Integrated INTERCEPT™ Cut Resistance Technology prevents workplace injuries
- **Enhanced dexterity:** The 11-727's acute fingertip sensitivity makes for deft, precise hand protection and secure handling
- **Heightened grip:** HyFlex® 11-727 safety gloves also benefit from secure grip, for handling dry or slightly oily components
- **Improved practicality:** The 11-727 model is also sold in vend pack form, allowing for convenient replenishment



### Industries

- Automotive
- Machinery and Equipment
- Metal fabrication
- Chemical
- Automotive Aftermarket
- Emergency Medical Services
- Utilities
- Warehousing

### Applications

- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Final assembly
- Handling materials with sharp or rough edges
- Assembly & inspection of components
- Applying finish to materials, products
- Maintenance
- Opening furnaces draining pumps valves or lines and crackers BTX process
- Lock smith

# HyFlex®

ADVANCED MECHANICAL PROTECTION

## 11-727

A unique balance of comfort, durability and protection

### Key Features

- **Lightweight fabric and seamless liner:** For a flexible, tailored fit
- **Certified durability:** EN ABRASION LEVEL 4 and ANSI/ISEA 105-2024 ABRASION LEVEL 6
- **INTERCEPT™ Cut Resistance Technology:** Ensuring workplace safety

### Vulcanization Chemical Accelerators

- Natural rubber proteins (in knitwrist elastic)

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.

### Performance Standards & Regulatory Compliance



### Technologies



### Specifications

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
HyFlex® 11-727	<b>Finishing:</b> Palm Coated <b>Coating Material:</b> Polyurethane <b>Liner Material:</b> HPPE, Nylon, Spandex <b>Cuff Style:</b> Knitwrist	15	6, 7, 8, 9, 10, 11	195-276 mm; 7.67-10.86 inches	Grey	12 pairs/bag, 12 bags/carton

### For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
Riverside Business Park  
Blvd International, 55  
1070 Brussels, Belgium  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

#### North America Region

Ansell Healthcare Products LLC  
111 Wood Avenue South,  
Suite 900  
Iselin, NJ 08830, USA  
T: +1 800 800 0444  
F: +1 800 800 0445

#### Australia

Ansell Limited  
Level 3, 678 Victoria Street,  
Richmond, Vic, 3121  
Australia  
T: +61 1800 337 041  
F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center  
(Malaysia) Sdn Bhd  
Prima 6, Prima Avenue  
Block 3512, Jaijan Teknokrat 6  
T: +603 8310 6688  
F: +603 8310 6699

#### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
Blvd. Bernardo Quintana No. 7001-C,  
Q7001 Torre II,  
Suites 1304, 1305 y 1306,  
Col. Centro Sur, c.p. 76079  
Queretaro, Qro. Mexico  
T: +52 442 248 1544 / 248 3133

#### Canada

Ansell Canada  
105 Lauder  
Cowansville, QC J2K 2K8  
Canada  
T: +1 800 363 8340  
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

