

Previously known as: Nitrotough™N3500



Oil



Cut



Medium Duty

## Durable cut-resistant gloves with enhanced grip, for secure, tactile handling

- **Enhanced grip:** HyFlex® 11-947 industrial working gloves boast excellent grip performance thanks to ANSELL GRIP™ coating treatment
- **Improved durability:** Three quarter-dipped coating, with FORTIX™ Abrasion Resistance Technology, ensures EN and ANSI level 4 abrasion resistance
- **Heightened protection:** These HyFlex® gloves' INTERCEPT™ Cut Resistance fiber helps them achieve EN ISO B/ANSI A2 cut-resistant glove levels
- **Considered aesthetics:** HyFlex® 11-947 PPE gloves' nitrile and polyurethane coating is oil- and grease-resistant, for longer wear
- **Certified harm-free:** They also possess Oeko-Tex® certification, certifying them free of harmful substances
- **Guaranteed convenience:** HyFlex® 11-947 safety gloves are also available in vend pack form, for simplified access and re-application



### Industries

- Automotive
- Machinery and Equipment
- Metal fabrication

### Applications

- Press injection molding
- Production line support & maintenance
- Inspection (picking, checking and marking)
- Changing tools and dies

# HyFlex®

ADVANCED MECHANICAL PROTECTION

## 11-947

Medium duty cut and abrasion resistant gloves

Previously known as: Nitrotough™N3500

### Key Features

- **ANSELL GRIP™:** Industrial gloves with strong, effortless grip
- **FORTIX™ Abrasion Resistance:** EN/ANSI level 4 abrasion defenses
- **INTERCEPT™ Cut Resistance fiber:** For greater laceration protection

### Vulcanization Chemical Accelerators

- Zinc Diethyldithiocarbamate

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.

### Technologies

 **ANSELL GRIP™**  
Ansell Grip Technology



DMF free

 **FORTIX™**  
Abrasion Resistance Technology

 **INTERCEPT™**  
Cut Resistance Technology

### Performance Standards & Regulatory Compliance



ANSI/ISEA 105-2024



EN388: 2016



4X42B



STANDARD 100

4419CIT  
CITEVE

### Specifications

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
HyFlex® 11-947	<b>Finishing:</b> ¾ Coated <b>Coating Material:</b> Water-Based polyurethane and nitrile <b>Liner Material:</b> Fiber glass, Polyamide, Polyester <b>Cuff Style:</b> Knitwrist	13	7, 8, 9, 10	235-275 mm; 9.25-10.82 inches	Blue	12 pairs/bag, 12 bags/carton

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
Riverside Business Park  
Blvd International, 55  
1070 Brussels, Belgium  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

#### North America Region

Ansell Healthcare Products LLC  
111 Wood Avenue South,  
Suite 900  
Iselin, NJ 08830, USA  
T: +1 800 800 0444  
F: +1 800 800 0445

#### Australia

Ansell Limited  
Level 3,678 Victoria Street,  
Richmond, Vic, 3121  
Australia  
T: +61 1800 337 041  
F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center  
(Malaysia) Sdn Bhd  
Prima 6, Prima Avenue  
Block 3512, Jaijan Teknokrat 6  
T: +603 8310 6688  
F: +603 8310 6699

#### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
Blvd. Bernardo Quintana No. 7001-C,  
Q7001 Torre II,  
Suites 1304, 1305 y 1306,  
Col. Centro Sur, c.p. 76079  
Queretaro, Qro. Mexico  
T: +52 442 248 1544 / 248 3133

#### Canada

Ansell Canada  
105 Lauder  
Cowansville, QC J2K 2K8  
Canada  
T: +1 800 363 8340  
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

