

HAZTECH

Lightweight, durable PU dry suit

A lightweight, robust suit for diving in hazardous water conditions.





Industries

- Emergency Medical Services
- Law Enforcement
- Fire and Rescue
- Shipping
- Defense
- Diving


Applications

- Underwater Inspection
- Navy Diving
- Special Forces Diving
- Inspection Diving
- Underwater Search and Recovery
- Flooding applications

KEY FEATURES & BENEFITS

- Lightweight and robust material
- Ideal for warm water & warm climates
- Helps alleviate the issue of heat stress
- Suitable for cold water diving
- Suitable for contaminated water diving operations
- High Frequency welded seams for additional strength and safety.
- Smooth, easy to clean surface after diving in contaminated waters
- Tested for flex cracking after > 200 flexes down to -40°C
- Hazmat (chemical protection) and BIO (protection against infective agents) approvals

Seam Diagram





Performance Standards



CE EN 14225-2:2017 HZ Chemical Resistance

Product Information

Product Information	
Color	Black, Red
Country Of Origin	Lithuania
Product Material	TPU (thermoplastic polyurethane), single coated onto a knitted nylon fabric.
Product Reference	HAZTECH
Reinforcements	Black welded reinforcements applied to shoulder area and elbows. Embossed welded knee pads.
Seam Type	Welded and Taped
Available Sizes	S, M, L, XL, 2XL, 3XL
Standards Overview	 EN 14225-2:2017 HZ chemical approval BIO micro-organism approval Tested for flex cracking according to EN ISO 7854



Suit Components & Accessories

Suit Components and Accessories	
Design Features	Rear entry.
Yoke Options	A full range of helmet yokes is available, such as: SL 27/37, Desco, AH3, Genesis, Gorski, Deepsea and Dräger.
Neck Seal	Fitted with a Surveyor latex neck seal as standard. Option: Bellows latex neck seal; VIKING™ Quick Neck system, which allows for quick changing of broken seals.
Cuffs	Latex PRO cuffs are fitted as standard. Options: Bellows latex cuffs; Conical cuffs. In order to make the suit completely waterproof, it is possible to fit a rubber cuff ring system, alternatively the VIKING™ Bayonet Ring System. Both systems make the fitment of latex gloves or mittens possible.
Footwear And Attachments	Rubber coated 5 mm neoprene boots. The boots feature a non-slip outsole and a heel fin retainer. Option: Nitrile safety boots.
Zipper	Red suits: Medium Duty (MD) magnetic PU zipper; 90 cm long; welded. Black suits: Medium Duty (MD) non-magnetic PU zipper; 90 cm long; welded. The zipper is placed across the shoulders.
Included With Each Delivery	Each suit comes supplied with suspenders, carry bag, user manual, repair kit and zip care materials.

For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia

Ansell Limited T: +61 1800 337 041

Ansell, $^{\textcircled{8}}$ and $^{\textcircled{M}}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{\textcircled{6}}$ 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

