

## 66-300 Model 111

Basic re-usable splash protective coverall for protection against chemical spray

Previously known as: TRELLECHEM® Splash 600

### Basic and reusable splash protective coveralls, protecting against chemical sprays.

- **Everyday usability and convenience:** Available in two models, AlphaTec® 66-300 Model 111 chemical-resistant coveralls make ideal everyday workwear, as they are versatile, reusable and feature open legs with elastics
- **Optimized defenses and comfort:** As this anti-static suit is made of strong and flexible fabric, it provides comfort without sacrificing safety
- **Added protection:** In addition to protecting against chemical spray in low-risk environments, this red hazmat suit guards against alkalis, acids and infective agents
- **Certified performance:** This chemical protective suit meets EN 14605:2005, Type 4 (spray-tight) requirements



## Industries

- Fire and Rescue
- Industrial
- Chemical


## Applications

- Chemical Handling
- Emergency Teams
- Fire & Rescue
- First Responders
- Hazmat Teams
- Industrial and Tank Cleaning
- Petrochemicals

## KEY FEATURES & BENEFITS

- **Versatile and reusable protective suit:** Ideal everyday workwear
- **Strong, flexible and anti-static fabric:** Comfortable, safety garment
- **Biological and chemical resistance:** Durable and reusable hazmat suit

## Material Diagram



## Seam Diagram



## Performance Standards



## Product Information

Product Information	
Available Sizes	2XS, XS, S, M, L, XL, 2XL, 3XL
Color	Red
Country Of Origin	Lithuania
Models Available	111, 122
Packaging Overview	Individually Packed
Product Material	Polyamide fabric, coated with PVC on both sides
Product Reference	66-300 Model 111
Standards Overview	<ul style="list-style-type: none"><li>• EN 14605:2005 + A1:2009 type 4 (spray-tight)</li><li>• EN 14126:2003 (infective agent protection)</li><li>• EN 1149-5:2008 (anti-static suit material)</li></ul>
Seam Type	Double welded
Shelf Life	7 years

## Suit components & accessories

Suit Components and Accessories	
<b>Design Features</b>	<ul style="list-style-type: none"> <li>• Drawstring hood with chin flap for added protection</li> <li>• Open legs with elastic</li> <li>• Open sleeves with hook-and-loop closure, or fitted with AlphaTec® 08-354 gloves (Scorpio)</li> <li>• If fitted, gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange</li> <li>• Nylon zipper, covered by a double splash guard/flap with press studs</li> </ul>
<b>Gloves And Attachments</b>	Open sleeves with hook-and-loop closure, or fitted with AlphaTec® 08-354 gloves (Scorpio). If fitted, gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.
<b>Footwear And Attachments</b>	Open legs with elastic
<b>Zipper</b>	Nylon zipper. The zipper is protected by a double splash guard/flap with press studs.
<b>Included With Each Delivery</b>	• 2 pcs extra locking pins for the Bayonet glove ring system (if fitted) • 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system (if fitted)

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**  
Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**  
Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**  
Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**  
Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**  
Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

