



Cut



Heat



Medium Duty

## Versatile cut-resistant gloves for truly demanding applications

- **Heightened protection:** INTERCEPT™ Cut Resistance Technology ensures these nitrile gloves satisfy EN ISO F/ANSI A7 cut protection standards, preventing workplace injuries
- **Certified heat resistance:** HyFlex® 11-542 industrial safety gloves can also withstand heat up to 100°C/212°F, with EN 407 contact heat level 1 certification
- **Added comfort:** ZONZ™ Comfort Fit Technology grants these HyFlex® gloves a tailored fit and truly long-lasting comfort
- **Enhanced grip:** ANSELL GRIP™ Technology offers these industrial working gloves a tight hold with minimal force required
- **Improved durability:** FORTIX™ Abrasion Resistance Technology and a dirt-masking design extend glove life
- **Reduced surface defect risks:** HyFlex® 11-542 industrial working gloves are also silicone-free, avoiding contaminant transfer to metal before painting



### Industries

- Automotive
- Machinery and Equipment
- Metal fabrication
- Emergency Medical Services
- Utilities
- Warehousing

### Applications

- Press shop operations
- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Handling structural and body components
- Metalworking & assembly operations
- Assembling and mounting components
- Adjusting systems and screwing
- Changing tools and dies
- Cutting glasses, sheets, panels
- Fastening components, parts

# HyFlex®

ADVANCED MECHANICAL PROTECTION

## 11-542

Lightweight high cut protection featuring INTERCEPT TECHNOLOGY®

### Key Features

- **INTERCEPT™ Cut Resistance:** EN ISO F/ANSI A7 hand protection
- **EN 407 contact heat level 1 resistance:** Protects up to 100°C/212°F
- **ZONZ™ Comfort Fit:** Tailored fit, for dexterous comfort

### Technologies



### Performance Standards & Regulatory Compliance



ANSI/ISEA 105-2024



EN388: 2016



EN 407



4X32F

X1XXXX

### Specifications

| BRAND   STYLE  | DESCRIPTION  | Gauge | SIZE               | LENGTH                     | COATING COLOR | PACKAGE                      |
|----------------|--|-------|--------------------|----------------------------|---------------|------------------------------|
| HyFlex® 11-542 | <b>Finishing:</b> Palm Coated<br><b>Coating Material:</b> Nitrile<br><b>Liner Material:</b> Kevlar®, Stainless steel, Nylon, Spandex<br><b>Cuff Style:</b> Knitwrist | 13    | 6, 7, 8, 9, 10, 11 | 213-267mm; 8.4-10.5 inches | Black         | 12 pairs/bag, 12 bags/carton |

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
Riverside Business Park  
Blvd International, 55  
1070 Brussels, Belgium  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

#### North America Region

Ansell Healthcare Products LLC  
111 Wood Avenue South,  
Suite 900  
Iselin, NJ 08830, USA  
T: +1 800 800 0444  
F: +1 800 800 0445

#### Australia

Ansell Limited  
Level 3,678 Victoria Street,  
Richmond, Vic, 3121  
Australia  
T: +61 1800 337 041  
F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center  
(Malaysia) Sdn Bhd  
Prima 6, Prima Avenue  
Block 3512, Jalan Teknokrat 6  
T: +603 8310 6688  
F: +603 8310 6699

#### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
Blvd. Bernardo Quintana No. 7001-C,  
Q7001 Torre II,  
Suites 1304, 1305 y 1306,  
Col. Centro Sur, c.p. 76079  
Queretaro, Qro. Mexico  
T: +52 442 248 1544 / 248 3133

#### Canada

Ansell Canada  
105 Lauder  
Cowansville, QC J2K 2K8  
Canada  
T: +1 800 363 8340  
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

