

Previously known as: MICROGARD® 2000 STANDARD - Model 156

## Superior protection from low hazard liquid spray and fine particulates with bound seams for improved overall protection..

### DESIGN

MICROGARD® 2000 provides both protection and comfort with exceptional liquid and particulate protection. Ideal for a wide range of industrial applications. Low hazard liquid chemical repellence, particle protection, protection from pesticides and barrier to biological agents. Spray tight and ultra low linting for critical environments.

### BOUND SEAMS

Superior strength, liquid and particle barrier

### SUIT FEATURES

- 3 piece hood
- Elasticated hood, wrists, waist and ankles
- 2-way front zipper with resealable storm flap
- Finger loops
- Integrated socks with boot overflaps

### COLORS

White

### SIZES

S-5XL



## Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense


## Applications

- Clean room cleaning and preparing
- Body painting including surface inspection
- Production line support & maintenance
- Cleaning of plant and machines
- Maintenance of plant and machines
- Crime Scene Investigation (CSI)
- Veterinary Services


## KEY FEATURES & BENEFITS

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric (“breathable”) to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone free, critical in spray painting applications

## Material Diagram



## Seam Diagram



## Performance Standards



EN ISO 13688:2013



0598

TYPE 5-B

TYPE 6-B

EN 1073-2

EN 1149-5

EN 14126

DIN 32781

## Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL
Color	White
Packaging Overview	Individually packaged
Product Material	Microporous polyethylene Laminate non-woven
Product Reference	2000 STANDARD - Model 156
Standards Overview	CE CATEGORY III (Type 5-B, Type 6-B, EN 1073-2, EN 14126, DIN 32781, EN 1149-5)
Seam Type	Bound
Style Number	W20B156

## Suit components & accessories

### Suit Components and Accessories

#### Design Features

3-piece hood, 2-way front zipper with re-sealable storm flap, finger loops. Elasticated hood, waist, wrists, ankles and overflaps. Integrated socks with boot overflaps.

**For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at**

**Europe, Middle East & Africa Region**

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**

Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**

Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**

Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

