

Previously known as: MICROGARD® 2000 Ts PLUS - Model 122

Ultra-low-linting chemical protection suit, designed with breathable microporous laminate fabric.

- **Specialized protection:** The AlphaTec® 2000 Ts PLUS Stitched & Taped - Model 122 boasts a protective barrier* resistant to low-concentration liquid chemicals and liquid and particulate biohazards**
- **Heightened breathability:** With its air- and water vapor-permeable microporous laminate fabric, this chemical-protective suit enhances breathability, limiting risks related to heat stress
- **Enhanced fit and features:** Comfort is ensured by an optimal fit, while internal overtaped stitching and serged and taped seams and further strengthen its protective barrier, delivering greater personal protection
- **Reduced contamination risks:** This protective body suit's ultra-low-linting fabric and tunneled, elasticated wrists and ankles minimize the risk of cross contamination in critical areas
- **Decreased surface defect risks:** A silicone-free construction also mean it is ideal for spray-painting applications
- **Assured antistatic properties:** In addition, this protective suit meets EN 1149-5 antistatic standards

*this chemical protection suit ensures CE Category III Type 4/5/6 protection

**it withstands liquid chemical saturation and filters 100% of particulates down to 0.01 microns in size (KAKEN particle penetration test)



Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense
- Agriculture
- Automotive Aftermarket
- Chemical
- Emergency Medical Services
- Machinery and Equipment
- Oil and gas
- Utilities
- Nuclear

Applications

- Product inspection
- Loading and hauling
- Fibre Glass/Resin Applications/Ceramic Fibres
- Body painting including surface inspection
- Cleaning of plant and machines
- Maintaining lab furniture and equipment

KEY FEATURES & BENEFITS

- **Chemical barrier:** Low-risk liquid chemicals, liquid and particulate biohazards
- **Microporous laminate:** Air and water vapor permeability, reduced heat stress
- **Optimized fit:** Enhanced comfort and improved workplace safety


Material Diagram



Seam Diagram



Performance Standards



Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL
Color	White
Country Of Origin	China
Packaging Overview	Individually Packed
Product Material	Microporous polyethylene Laminate non-woven
Product Reference	2000 Ts PLUS - Model 122
Standards Overview	CE CATEGORY III (Type 4-B, Type 5-B, Type 6-B, EN 1073-2, EN 14126, DIN 32781, EN 1149-5)
Seam Type	Stitched and Taped
Shelf Life	5 years
Style Number	W20T122

Suit components & accessories

Suit Components and Accessories

Design Features

Coverall, 3-piece hood, elasticated hood, waist, wrists and ankles. 2-way front zipper with resealable storm flap, finger loops and boot end with anti-slip soles.

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

