

# VersaTouch<sup>®</sup>

## 92-481

Lightweight Nitrile Disposable Glove  
with Extended Cuff

## Extended hand protection for food handling jobs

- **Additional protection:** VersaTouch<sup>®</sup> 92-481 are versatile light blue nitrile gloves with an extended cuff for extra protection of the wrist and forearm
- **Ideal for food handling:** These gloves are food handling-compliant and well suited for a wide range of food processing tasks
- **Textured fingertips:** The fingertips offer good flexibility and tear strength
- **Smart packaging:** Packaged in polybags for reduced risk of contamination in wet environments



### Industries

- Food Processing

### Recommended For

- All food processing, applications that have food contact

# TECHNICAL DATA SHEET

| Product Information                 |   |
|-------------------------------------|---|
| External Glove Surface              | Textured Fingers  |
| Audit Standards                     | ISO 9001  |
| Packaging Overview                  | 100 gloves per polybag;<br>10 polybags per case;<br>1000 gloves per case  |
| Storage Instructions                | Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.  |
| Country Of Origin                   | Thailand  |
| Product Segmentation                | High Risk   |
| Antistatic                          | Yes EN1149  |
| Vulcanization Chemical Accelerators | <ul style="list-style-type: none"> <li>Zinc Dibutyldithiocarbamate (ZDBC)</li> </ul> <p><i>Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.</i></p> |

## PHYSICAL PROPERTIES

|   | Typical Values      |                    | Testing Method      |
|---|---------------------|--------------------|---------------------|
| Length (mm/inches)                      | 300 / 11.8          |                    | ASTM D3767,EN 420   |
| Freedom from Holes (Inspection level I) | 1.5 AQL             |                    | ASTM D5151,EN 455-1 |
| Palm Thickness (mm/mils)                | 0.11 / 4.3          |                    | ASTM D3767,EN 420   |
| Finger Thickness (mm/mils)              | 0.14 / 5.5          |                    | ASTM D3767,EN 420   |
|   | <b>BEFORE AGING</b> | <b>AFTER AGING</b> |                     |
| Ultimate Tensile Strength (MPa)         | ≥ 16                | ≥ 14               | ASTM D412 & D573    |
| Elongation at Break (%)                 | ≥ 500               | ≥ 400              | ASTM D412           |

## ORDERING INFORMATION

| Size         | S (6.5 - 7) | M (7.5 - 8) | L (8.5 - 9) | XL (9.5 - 10) |
|--------------|-------------|-------------|-------------|---------------|
| Product Code | 92481070    | 92481080    | 92481090    | 92481100      |

## Performance Standards and Regulatory Compliance



For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**  
Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

**Asia Pacific Region**  
MY +603 8310 6688  
apac.medical@ansell.com  
CN: +86 21 38275000  
infochina@ansell.com  
JP: +813 5549 8151  
info.medical.jp@ansell.com

**North America Region**  
Ansell Healthcare Products LLC  
T: +1 800 800 0444  
F: +1 800 800 0445

**Latin America & Caribbean Region**  
BR +55 (11) 3356-3100  
latam.medical@ansell.com  
MX: +52 442 296 2050  
latam.medical@ansell.com  
CO: +57 1 288 3247  
latam.medical@ansell.com

**Australia**  
Ansell Limited  
T: +61 1800 337 041  
F: +61 1800 803 578

**Russia**  
Ansell PYC  
Ten. +7 495 258 13 16

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

