

Previously known as: MICROGARD® 2000 STANDARD - Model 111

Superior, breathable microporous laminate suit designed for industrial applications.

- **Specialized protection:** The AlphaTec® 2000 STANDARD Bound - Model 111 grants wearers moderate chemical protection*, resisting liquid and particulate biological hazards (including radioactive particulates**)
- **Added defenses:** This protective body suit also meets EN 14126 and ASTM F1670/1671 standards for bloodborne pathogen protection and DIN 32781 requirements for pesticide resistance
- **Advanced breathability:** The use of microporous polyethylene laminate nonwoven fabric makes it water vapor-permeable, reducing heat stress
- **Certified antistatic capabilities:** In addition, this protective suit satisfies EN 1149-5 antistatic standards
- **Reduced cross contamination risks:** Low-linting fabric lessens cross contamination risk in critical areas
- **Limited allergy and surface defect risks:** Latex- and silicone-free by design, risks of Type IV latex allergies or contaminant transfer to metal when spray-painting are minimized
- **Enhanced fit and features:** This chemical-protective suit's optimized fit and finger loops enhance comfort and user-friendliness, while a three-piece hood provides added protection and a two-way front zipper with resealable storm flap enhance practicality

**CE Category III Type 5/6 protection **in accordance with EN 1073-2 standards*



Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense
- Agriculture
- Automotive Aftermarket
- Chemical
- Machinery and Equipment
- Oil and gas
- Utilities
- Emergency Medical Services


Applications

- Clean room cleaning and preparing
- Production line support & maintenance
- Veterinary Services
- Cleaning of plant and machines
- Maintenance of plant and machines
- Body painting including surface inspection

KEY FEATURES & BENEFITS

- **Protective barrier:** Increased personal protection
- **Microporous laminate fabric:** Lowered risk of heat stress
- **EN 14126- and ASTM F1670/1671-certified:** Resists bloodborne pathogen

Material Diagram



Seam Diagram



Performance Standards

EN ISO 13688:2013



TYPE 5-B

TYPE 6-B

EN 1073-2

EN 1149-5

EN 14126

DIN 32781

Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	White
Country Of Origin	China
Packaging Overview	Individually Packed
Product Material	Microporous polyethylene Laminate non-woven
Product Reference	2000 STANDARD - Model 111
Standards Overview	CE CATEGORY III (Type 5-B, Type 6-B, EN 1073-2, EN 14126, DIN 32781, EN 1149-5)
Seam Type	Bound
Shelf Life	5 years
Style Number	W20B111

Suit components & accessories

Suit Components and Accessories

Design Features

Coverall, 3-piece hood, 2-way front zipper with resealable storm flap, finger loops. Elasticated hood, waist, wrists and ankles.

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

