

Previously known as: MICROCHEM® 4000 Jacket - Model 230

**Engineered to provide an exceptional barrier against a wide range of organic and inorganic chemicals and biological agents..**

### DESIGN

A unique multi-layer barrier fabric renowned for its lightweight, yet robust textile feel and exceptional barrier to organic & inorganic chemicals.

### ULTRASONICALLY WELDED SEAMS

Provides a strong liquid and particle barrier, made from the same fabric as the suit to maintain the same chemical resistance

### SUIT FEATURES

- 2 piece hood
- Double zip closure
- Elasticated hood, wrists and hem
- Double cuff with knitted inner cuff

### COLOURS

Green

### SIZES

S-3XL



## Industries

- Chemical
- Life Sciences
- Mining
- Fire and Rescue
- Oil and gas
- Automotive Aftermarket
- Food Processing

## Applications

- Contaminated Environments
- Chemical Handling
- Filling, blending and charging of raw materials
- Transferring liquids and solids
- Opening and draining pumps valves or lines
- Loading and unloading of process equipment
- Raw material sample collection
- Concentration mixing and palletisation
- Hazmat response
- Assembly and disassembly of equipment


## KEY FEATURES & BENEFITS

- Exceptional protection, over 200 chemicals permeation tested, including chemical warfare agents
- Designed to protect
- Silicone free


## Technology



## Material Diagram



## Seam Diagram



## Performance Standards



## Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL
Color	Green
Country Of Origin	China
Packaging Overview	Individually Packed
Product Material	Multi-layer non-woven barrier Laminate fabric
Product Reference	4000 Jacket - Model 230
Standards Overview	CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, EN 14126)
Seam Type	Welded and Taped
Shelf Life	5 years

## Suit components & accessories

### Suit Components and Accessories

#### Design Features

Jacket with 2-piece hood, double zip closure, elasticated hood, wrists and hem. Welded and taped seams, double cuff.

**For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at**

**Europe, Middle East & Africa Region**

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**

Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**

Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**

Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

