

# 3000 - Model 122

Durable, comfortable multi-layer chemical barrier, Type 3/4/5 protection

Previously known as: MICROCHEM® 3000 - Model 122

# Lightweight, multi-layered chemical-protective suit, offering both comfort and durability.

- Specialized protection: Made with durable multilayer nonwoven laminate, the AlphaTec<sup>®</sup> 3000 Ultrasonically Welded - Model 122 protects against various inorganic chemicals and biological hazards\*, while ensuring lightweight comfort
- Enhanced features: This chemical-protective suit features dual-zip systems and double cuffs enhancing its protective capabilities, as well as a two-piece hood and an elasticated waist, sleeves and over-cuffs
- Improved visibility: Thanks to its high-visibility yellow exterior, this protective suit ensures greater wearer and workplace safety
- Assured antistatic capabilities: This full-body protection suit is also tested against EN 1149-5 antistatic standards





#### **Industries**

- Chemical
- Mining
- Oil and gas
- Life Sciences
- Food Processing
- Automotive Aftermarket
- Utilities


#### **Applications**

- Transferring liquids and solids between vessels and tanks and process equipment
- Unexpected leakages spills or other releases
- Opening and draining pumps valves or lines
- Loading and unloading trucks and vehicles
- Filling, blending and charging of raw materials
- Product inspection
- Mixing or loading chemicals
- Cleaning of plant and machines


#### **KEY FEATURES & BENEFITS**

- Multi-layer fabric barrier: Protection from various chemicals
- Dual-zip systems and double cuffs: Enhanced wear life
- Bright yellow color: Heightened visibility, for greater safety

### **Material Diagram**



### **Seam Diagram**





## **Performance Standards**

















### **Product Information**

<b>Product Information</b>	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	Yellow
Country Of Origin	China
Models Available	103, 111, 121, 132, 162
Packaging Overview	Individually Packed
Product Material	Multi-layer non-woven barrier Laminate fabric
Product Reference	3000 - Model 122
Standards Overview	CE CATEGORY III (Type 3-B, Type 4-B, Type 5-B, EN 1073-2, EN 14126, EN 1149-5)
Seam Type	Welded
Shelf Life	5 years
Style Number	Y30W122



#### **Suit components & accessories**

#### **Suit Components and Accessories**

**Design Features** 

Coverall with 2-piece hood, double zip closure, elasticated hood, waist & sleeve over cuffs and integrated socks with boot overflap.

#### For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia Ansell Limited T: +61 1800 337 041

Ansell,  $^{\textcircled{6}}$  and  $^{\textcircled{m}}$  are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking  $^{\textcircled{6}}$  2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

