

# **5000 - Model 111** Durable, highly visible, multi-layer chemical barrier technology, Type 3/4/5 protection

#### Previously known as: MICROCHEM<sup>®</sup> 5000 - Model 111

## Multi-layer high-visibility chemical-protective suit, resistant to chemicals and biological hazards.

- **Specialized protection:** The AlphaTec<sup>®</sup> 5000 Ultrasonically Welded & Taped - Model 111 is a heavy-duty, multi-layer protective suit, highly resistant to chemicals\*, biological hazards and chemical warfare agents
- Improved visibility: Also usable as a HAZMAT suit by HAZMAT response teams, this chemicalprotective suit is bright orange in color, making it noticeable and enhancing worker and workplace safety
- Heightened defenses: Its taped and welded seams ensure robust defenses against particulates and liquids
- Enhanced features: This protective suit features an elasticated hood, waist, ankles and outer cuffs, as well as safety-boosting dual-zip systems, a wear life-extending double zip enclosure, double cuffs and comfort-enhancing knitted inner cuffs
- Certified antistatic capabilities: In addition, this full-body protection suit also satisfies EN 1149-5 antistatic standards

\*CE Category III Type 3/4/5 protection





#### Industries

- Chemical
- Life Sciences .
- Mining •
- Fire and Rescue •
- Oil and gas • Automotive •
- Aftermarket Food Processing •

#### **Applications**


- Contaminated • Environments
- Chemical Handling .
- Filling, blending and charging of raw materials
- Transferring liquids and • solids
- Opening and draining pumps valves or lines
- Loading and unloading of proces equipment
- Raw material sample collection
- Concentration mixing and palletisation
- Hazmat response
- Assembly and disassembly of large pipes

### Technology




- **KEY FEATURES & BENEFITS Permeation barrier:** Resists •
- chemicals/biohazards/chemical warfare agents\* Highly visible orange color: For greater worker . and workplace safety
- Double zip enclosure: Enhanced wear life •

\*>480-minute breakthrough time against 14 of the 15 chemicals listed in EN ISO 6529



#### Seam Diagram



• Unexpected leakages

spills or other releases



#### **Material Diagram**

#### **Performance Standards**



#### **Product Information**

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	Orange
Country Of Origin	China
Models Available	103, 122, 125-G02, 198
Packaging Overview	Individually Packed
Product Material	Multi-layer non-woven barrier Laminate fabric
Product Reference	5000 - Model 111
Standards Overview	CE CATEGORY III (Type 3-B, Type 4-B, Type 5-B, EN 1073-2, EN 14126, EN 1149-5)
Seam Type	Welded and Taped
Shelf Life	5 años
Style Number	O50T111



#### Suit components & accessories

Suit Components and Accessories	
Design Features	Coverall with 2-piece hood, double zip closure, double cuffs with knitted inner cuff. Elasticated hood, outer cuffs, waist and ankles.

#### For additional in formation visit us at www.ansell.com, or call us at

**Europe, Middle East & Africa Region** Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 **Australia** Ansell Limited T: +61 1800 337 041

Ansell, <sup>®</sup> and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

