

# 2500 Overboots ESD - Model 407

Durable and breathable microporous laminate technology

Previously known as: MICROGARD® 2500 Overboots ESD - Model 407

# Durable and breathable ESD safety overboots, designed with microporous laminate technology.

- Certified performance: AlphaTec<sup>®</sup> 2500 STANDARD Overboots ESD Bound - Model 407 is made of breathable fabric with the highest classifications for protection from biological agents, in accordance with EN 14126 for the penetration of blood, bodily fluids and blood-borne pathogens
- Advanced defenses: In addition, these chemicalresistant ESD overboots are produced with a unique material that delivers excellent strength and flexibility, as well as liquid and particulate protection
- Reduced contamination risks: These industrial overboots are also ideal for use in critical areas, as they are low lint, which reduces contamination risks





### **Industries**

- Life Sciences
- Industrial
- Chemical
- Nuclear
- Law Enforcement

### **Applications**

- Transferring liquids and solids
- Spill or leakage cleanup
- Maintenance
- Unexpected leakages spills or other releases
- Plant disinfection and sanitization
- Emergency Response
- Contaminated Environments

#### **KEY FEATURES & BENEFITS**

- **EN-certified protection from biohazards:** Reliable personal protection
- **Unique material:** Superior strength, optimal protection
- Low linting: Reduced risk of contamination in critical areas

# **Material Diagram**

# Microporous Polypropylene Film Non-woven inner layer

### **Seam Diagram**





# **Performance Standards**













## **Product Information**

Product Information	
Available Sizes	42-46, 46-48
Color	White
Country Of Origin	China, Sri Lanka
Product Material	Microporous Polypropylene Laminate non-woven
<b>Product Reference</b>	2500 Overboots ESD - Model 407
Standards Overview	CE CATEGORY III (Type PB (6)-B, EN 14126)
Seam Type	Bound
Shelf Life	5 years
Style Number	W25B407



### **Suit components & accessories**

**Suit Components and Accessories** 

**Design Features** 

Overboots, elasticated opening, anti-slip sole, adjustable shoe tie, bound seams and ESD PVC sole.

## For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444

Latin America & Caribbean Region

Australia Ansell Limited T: +61 1800 337 041

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133

Ansell,  $^{\textcircled{6}}$  and  $^{\textcircled{m}}$  are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking  $^{\textcircled{6}}$  2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

