

# 2500 Overboots ESD - Model 407

Durable and breathable microporous laminate technology

Previously known as: MICROGARD® 2500 Overboots ESD - Model 407

# Durable and breathable ESD safety overboots, designed with microporous laminate technology.

- Certified performance: AlphaTec<sup>®</sup> 2500 STANDARD
   Overboots ESD Bound Model 407 is made of breathable
   fabric with the highest classifications for protection from
   biological agents, in accordance with EN 14126 for the
   penetration of blood, bodily fluids and blood-borne
   pathogens
- Advanced defenses: In addition, these chemical-resistant ESD overboots are produced with a unique material that delivers excellent strength and flexibility, as well as liquid and particulate protection
- Reduced contamination risks: These industrial overboots are also ideal for use in critical areas, as they are low lint, which reduces contamination risks





## **Industries**

- Life Sciences
- Industrial
- Chemical
- Nuclear
- Law Enforcement

# **Applications**

- Transferring liquids and solids
- Spill or leakage cleanup
- Maintenance
- Unexpected leakages spills or other releases
- Plant disinfection and sanitization
- Emergency Response
- Contaminated Environments

### **KEY FEATURES & BENEFITS**

- **EN-certified protection from biohazards:** Reliable personal protection
- **Unique material:** Superior strength, optimal protection
- Low linting: Reduced risk of contamination in critical areas

## **Material Diagram**

# Microporous Polypropylene Film Non-woven inner layer

## **Seam Diagram**



# **Performance Standards**







P EN ISO 13688:2013 EN 14126





# **Product Information**

Product Information	
Available Sizes	42-46, 46-48
Color	White
Country Of Origin	China, Sri Lanka
<b>Product Material</b>	Microporous Polypropylene Laminate non-woven
<b>Product Reference</b>	2500 Overboots ESD - Model 407
Standards Overview	CE CATEGORY III (Type PB (6)-B, EN 14126)
Seam Type	Bound
Shelf Life	5 years
Style Number	W25B407

# Suit components & accessories

**Suit Components and Accessories** 

**Design Features** 

Overboots, elasticated opening, anti-slip sole, adjustable shoe tie, bound seams and ESD PVC sole.

## For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia Ansell Limited T: +61 1800 337 041

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.



Page 4 of 4