

Previously known as: MICROGARD® 2000 STANDARD - Model 156

Superior protection from low hazard liquid spray and fine particulates with bound seams for improved overall protection..

DESIGN

MICROGARD® 2000 provides both protection and comfort with exceptional liquid and particulate protection. Ideal for a wide range of industrial applications. Low hazard liquid chemical repellence, particle protection, protection from pesticides and barrier to biological agents. Spray tight and ultra low linting for critical environments.

BOUND SEAMS

Superior strength, liquid and particle barrier

SUIT FEATURES

- 3 piece hood
- Elasticated hood, wrists, waist and ankles
- 2-way front zipper with resealable storm flap
- Finger loops
- Integrated socks with boot overflaps

COLORS

White

SIZES

S-5XL



Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense


Applications

- Clean room cleaning and preparing
- Body painting including surface inspection
- Production line support & maintenance
- Cleaning of plant and machines
- Maintenance of plant and machines
- Crime Scene Investigation (CSI)
- Veterinary Services


KEY FEATURES & BENEFITS

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric (“breathable”) to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone free, critical in spray painting applications

Material Diagram



Seam Diagram



Performance Standards



EN ISO 13688:2013



0598

TYPE 5-B

TYPE 6-B

EN 1073-2

EN 1149-5

EN 14126

DIN 32781

Product Information

| Product Information | |
|---------------------|---------------------------------------------------------------------------------|
| Available Sizes | S, M, L, XL, 2XL, 3XL |
| Color | White |
| Packaging Overview | Individually packaged |
| Product Material | Microporous polyethylene Laminate non-woven |
| Product Reference | 2000 STANDARD - Model 156 |
| Standards Overview | CE CATEGORY III (Type 5-B, Type 6-B, EN 1073-2, EN 14126, DIN 32781, EN 1149-5) |
| Seam Type | Bound |
| Style Number | W20B156 |

Suit components & accessories

Suit Components and Accessories

Design Features

3-piece hood, 2-way front zipper with re-sealable storm flap, finger loops. Elasticated hood, waist, wrists, ankles and overflaps. Integrated socks with boot overflaps.

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

