

## BioClean<sup>™</sup> Sterile Tieon Face Mask MTA210-1

# Sterile, tie-on face mask with advanced filtration efficiency

- **Specialized protection:** This tie-on sterile face mask offers high particle and bacterial filtration. It is tested against ASTM F2101 standards for Bacterial Filtration Efficiency (BFE)
- Enhanced features and comfort: The BioClean<sup>™</sup> Sterile Tie-on Face Mask MTA210-1 is equipped with a fully enclosed, malleable noseband for improved fit and comfort, while an ultrasonic seal ensures a stronger bond for the tie-tapes, enabling secure fastening
- Reduced risks: The BioClean<sup>™</sup> Sterile Tie-on Face Mask MTA210-1 is processed in a NEBB-certified ISO Class 4 cleanroom, reducing the risk of contamination

#### **Key Features and Benefits**

- Contamination control: High Bacterial Filtration Efficiency (BFE)
- Cleanroom-compatible materials: Fewer contamination risks
- Ultrasonically sealed edges: Tie-tapes with a strong, reliable bond

#### Industries

- Production and Manufacturing
- Controlled and Critical Environments
- Laboratory and Research







## BioClean<sup>™</sup> Sterile Tieon Face Mask MTA210-1

### **TECHNICAL DATA SHEET**

#### **PRODUCT INFORMATION**

Material	Polypropylene Polyethylene		
Audit Standards	Manufacturing QMS Audit Standards ISO 9001		
Standards	ASTM F2101, ISO 2859		
Packaging Overview	One piece per sealed inner PE bag; 50 inner bags per sealed outer PE bag; 10 outer bags per lined carton (500 pieces)		
Country Of Origin	China		
Sterilization Method	Gamma irradiation		
Sterilization Minimum Dose	25kGy		
Sterility Assurance Level	10-6		
Storage Instructions	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.		
Shelf Life	Five (5) years from date of manufacture		

#### **PHYSICAL PROPERTIES**

Color	White
String Type	Ties
Overall Dimensions	WIDTH (± 5mm) 210mm HEIGHT (± 5mm) 95mm
Inner Facing Layer	Non-woven polypropylene/polyethylene (hygroscopic)
Filtration Layer	Meltblown polyester
Outer Layer	Non-woven spunbonded polyester (hydrophobic)
Fastenings	Non-woven polypropylene ties
Noseband	Plastic coated steel

#### **PERFORMANCE INFORMATION**

Cleanroom Class	Class 10/ISO Class 4 & EU GMP Grade A/B and other sterile cleanrooms		
Particle Filtration Efficiency	89.3% @0.1 micron		
<b>Bacterial Filtration Efficiency</b>	92.3% @0.3 micron		
Viral Filtration Efficiency	93.8% @3.0 micron		
Differential Pressure	3.8mm H₂O/cm⊠		

#### **ORDERING INFORMATION**

	SIZE	Tie-on Face Mask
MTA210-1	REORDER NO.	MTA210-1

#### For additional information visit us at www.ansell.com, or call us at

#### **Europe, Middle East & Africa Region** Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 F: +603 8310 6699 North America Region Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

US F: +1 800 800 0445 CA T: +1-800-363-8340 **Latin America & Caribbean Region** Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

**UK** Ansell Nitritex T: +44 1638 663338 F: +44 1638 668890

Ansell, <sup>®</sup> and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

