

## Gamma Sterilized Single-Use Goggles

BioClean Clearview gamma irradiated Single Use Goggles are constructed from lightweight ultra-soft PVC, and have an indirect ventilation system to maintain user comfort and reduce the risk of contamination entering the controlled environment. With PPE Cat 2 certification they provide personal protection and can be worn over eye-glasses with ease and feature an optically correct toughened polycarbonate lens with anti-fog and antiscratch coating for clear vision.

### Key Features and Benefits

- Lightweight PVC frame
- Indirect ventilation system
- Gamma Irradiated
- Optically correct
- Toughened polycarbonate, anti-fog & anti-scratch lens
- Non-linting latex-free head band



### Industries

- Controlled and Critical Environments
- Laboratory and Research
- Production and Manufacturing

### Recommended For

- Medical Device Manufacturing
- Biotechnologies Blending operations
- Handling active material
- Maintaining equipment and instruments
- Organic and material synthesis
- Preparing pharmaceutical products
- Clean room cleaning and preparing
- Nutraceutical manufacturing
- Semiconductor manufacturing
- White goods assembly



# BioClean™ Vijn Goggle BVGS

## TECHNICAL DATA SHEET

### PRODUCT INFORMATION

<b>Material</b>	PVC, Silicone, Polycarbonate
<b>Color</b>	Orange
<b>Audit Standards</b>	Manufacturing QMS Audit Standards ISO 9001
<b>Standards</b>	EN 166:2001, Category II, UKCA
<b>Country Of Origin</b>	Malaysia
<b>Sterilization Method</b>	Method: Gamma irradiation Minimum Dose: 25kGy Sterility Assurance Level: 10 <sup>-6</sup>
<b>Cleanroom Class</b>	Class 10/ISO Class 4 & EU GMP Grade A/B and other sterile cleanrooms
<b>Shelf Life</b>	Three (3) years from date of manufacture
<b>Classification</b>	EN166
<b>Storage Instructions</b>	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

### PHYSICAL PROPERTIES

<b>Overall Dimensions</b>	Total Weight (± 2g): 74g Lens Thickness (± 0.3mm): 2.0mm Bridge Width (± 0.5mm): 50mm Bridge Height (±0.5mm): 25mm Overall Width (hinge to hinge)(±3mm): 155mm Overall Height (±3mm): 85mm
---------------------------	---

### ORDERING INFORMATION

	SIZE	Single Use Goggle
BVGS	REORDER NO.	BVGS



# BioClean™ Vijn Goggle BVGS

## EXPLANATION OF FRAME MARKINGS

Required Markings	Markings On Frame	Meaning
Standard Number	EN166	European Standard on Personal Eye Protection

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

### Asia Pacific Region

Ansell Global Trading Center  
T: +603 8310 6688  
F: +603 8310 6699

### North America Region

Ansell Healthcare Products LLC  
US T: +1 800 800 0444  
US F: +1 800 800 0445  
CA T: +1-800-363-8340

### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

### Australia

Ansell Limited  
T: +61 1800 337 041  
F: +61 1800 803 578

### UK

Ansell Nitritex  
T: +44 1638 663338  
F: +44 1638 668890

Performance Standards and  
Regulatory Compliance



Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

