

11-738

The 1st INTERCEPT® Cut Resistant Glove with targeted reinforcement in high wear areas





Our best Cut Gloves, now made green

- Heightened defenses: HyFlex[®] 11-738 industrial gloves' INTERCEPT Cut Resistance Technology yarn, blended with nylon, Lycra and strengthened fibers provide high cut resistance
- Advanced durability: FORTIX[™] Abrasion Resistance Technology delivers long-lasting durability
- Targeted protection: HyFlex[®] 11-738 safety gloves' reinforced thumb crotch results in 12x greater resilience than unreinforced competitor gloves
- Elevated comfort: Water-based polyurethane and nitrile coating improves grip, while enhancing comfort and dexterity
- Certified skin-friendly and harm-free: They are Dermatest[®]-approved, solvent-free, and Oekotex[®]-certified for no harmful substances
- Silicone-free: HyFlex® 11-738 PPE gloves are silicone-free, preventing contaminant transfer to metal before painting
- Sustainable design: HyFlex[®] 11-738 sustainable Cut glove gloves are designed with 24% recycled content* reducing our carbon footprint by 75g CO2eq/pair** and plastic-free inner packaging that contains 70% fewer materials^

*% is the minimum recycled content in final product

** vs standard nylon Cut glove

Avs previous technology version

Industries

- Automotive
- Machinery and Equipment
- Metal fabrication
- Automotive Aftermarket
- Utilities
- Warehousing

Applications

- Handling of sharp-edged objects, pre-assembling, cutting of small dry or lightly oiled parts and maintenance
- Handling of glass sheets, sharpedged objects
- Handling of metal sheets, cutting of dry, painted or galvanised pieces







11-738

The 1st INTERCEPT® Cut Resistant Glove with targeted reinforcement in high wear areas

Key Features

- INTERCEPT™ Cut Resistance and strong fibers: Robust cut protection
- **FORTIX™ Abrasion Resistance:** PPE gloves with heightened durability
- Reinforced thumb crotch: Targeted hand protection and resilience
- Glove made with 24% recycled content*: Carbon footprint reduction of 75g CO2eq/pair**

*% is the minimum recycled content in final product

** vs standard nylon Cut glove

Technologies









Performance Standards & Regulatory Compliance



ANSI/ISEA 105-2024









4X42D



STANDARD 100 4419CIT CITEVE

Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
	Finishing: Palm Coated Coating Material: Water-Based polyurethane and nitrile Liner Material: Fiber glass, HPPE, Polyester, Spandex Cuff Style: Knitwrist	13	6, 7, 8, 9, 10, 11	225-275 mm; 8.85-10.82 inches	Black	12 pairs/bag, 12 bags/carton

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. Blvd. Bernardo Quintana No. 7001-C, Q7001 Torre II. Suites 1304, 1305 y 1306. Col. Centro Sur, c.p. 76079 Queretaro, Qro. Mexico T: +52 442 248 1544 / 248 3133

North America Region

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 900 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Canada

Ansell Canada 105 Lauder Cowansville, QC J2K 2K8 Canada T: +1 800 363 8340 F: +1 800 267 3551

Australia

Ansell Limited Level 3,678 Victoria Street, Richmond, Vic, 3121 Australia T: +61 1800 337 041 F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center (Malaysia) Sdn Bhd Prima 6, Prima Avenue Block 3512, Jalan Teknokrat 6 T: +603 8310 6688 F: +603 8310 6699

Ansell, $^{@}$ and m are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{@}$ 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

