

**93-300** Non-sterile Disposable Nitrile Cleanroom Glove

## Comfortable nitrile cleanroom gloves, compatible with Class 100 (ISO 5) cleanroom environments

- Improved protection and durability: TouchNTuff® 93-300 nitrile cleanroom gloves are comfortable and robust, ensuring strong chemical splash resistance and resistance against punctures and tears
- Safeguarded product integrity: These nitrile gloves are entirely silicone-free, preventing potential contaminant transfer and safeguarding product integrity
- Assured cleanliness: They are also designed to be compatible with Class 100 (ISO 5) cleanroom environments, delivering hand protection that is reliable and fit for purpose



### **KEY FEATURES & BENEFITS**

- Robust nitrile formulation: Puncture, tear and chemical splash resistance
- Silicone-free design: Improved product protection
- Class 100 (ISO 5) cleanroom compatibility: Assured cleanliness

### Industries

- Biotechnology Manufacturing
- Electronics manufacturing

#### **Recommended For**

- Clean room cleaning and preparingBlending, compounding solids and
- Blending, compounding solids a liquids
- Spill or leakage cleanup
- Transferring liquids and solids
- Loading centrifuges and
- chromatography columnsAssembly of parts
- Weighing and dispensing of solid and liquid raw materials



# TouchNTuff® Advanced product & worker protection

**93-300** Non-sterile Disposable Nitrile Cleanroom Glove

### **TECHNICAL DATA SHEET**

|   | Product Information   |
|---|---|
| Materia                                   | Nitrile   |
| Color                                     | Green   |
| Shape                                     | Ambidextrous  |
| Cuff                                      | Beaded  |
| Manufacturing/QMS Audit<br>Standards      | ISO 13485, ISO 14001, ISO 9001  |
| Regulatory/Standard<br>Compliance         | ASTM D6319, CE 0493, Category III, EN 455 Part 2, EN ISO 21420:2020, EN ISO 374-1:2016, EN ISO 374-5:2016, EN 421:2010, FDA21 CFR 177-2600-US Food Contact Approved, UKCA   |
|   | 50 gloves per vacuum sealed polybag; 2 polybags per master polybag; 10 master poly bags per poly lined case   |
| Packaging                                 | More sustainable packaging: These nitrile gloves are packed in recyclable plastic packaging*<br>and delivered in recycled cardboard shipper cases.<br>*Inner wrap, pouch, bag and liner are made from polyethylene (PE) based film. Always check<br>your local recyclable status as these materials may not be considered suitable for recycling in<br>your location.   |
| Storage                                   | Keep away from direct sunlight; store in a dry place and keep in the original packaging. Keep<br>away from ozone sources. If products are properly stored, as indicated, they won't lose their<br>performances or change characteristics significantly. If products could be affected by ageing<br>or storage, the expiry date is mentioned on the packaging materials. |
| Country of Origin                         | Thailand  |
| Available sizes                           | XS (5.5 - 6), S (6.5 - 7), M (7.5 - 8), L (8.5 - 9), XL (9.5 - 10)  |
| Powder Content                            | Powder-Free   |
| External Glove Surface                    | Textured Fingers  |
| Internal Glove Surface                    | Powder-Free, Chlorinated  |
| Cleanroom Class                           | Class 100/ISO 5   |
| Shelf Life                                | 3 Years   |
| Tested for use with<br>Chemotherapy Drugs | Yes   |
| Protein Level                             | N/A: contains no natural rubber latex   |
| Anti-static                               | Yes   |



## TouchNTuff® Advanced product & Worker Protection

### **93-300** Non-sterile Disposable Nitrile Cleanroom Glove

| Physical Properties                                |                         | Testing Method  |
|--|-------------------------|-----------------|
| Typical Length<br>(mm/in)                          | 300 / 12                | EN ISO 21420    |
| Freedom from Holes                                 | 1.5 AQL                 | EN 374-2        |
| Typical Particle Count<br>≥0.5µm (counts / cm²)    | ≤ 1,200 particles / cm² | IEST-RP-CC005.4 |
| Target Single Wall Palm<br>Thickness (mm/mil)      | 0.13 / 5.1              | EN 455-2        |
| Target Single Wall<br>Finger Thickness<br>(mm/mil) | 0.16 / 6.3              | EN 455-2        |
| Target Single Wall Cuff<br>Thickness (mm/mil)      | 0.08 / 3.1              | EN 455-2        |
| Ultimate tensile<br>strength (MPa) During<br>Aging | ≥ 14                    | ASTM D412-06a   |
| Force at Break (N)<br>During Aging                 | ≥9                      | EN 455-2        |

### **ORDERING INFORMATION**

| SIZE        | XS (5.5 - 6) | S (6.5 - 7) | M (7.5 - 8) | L (8.5 - 9) | XL (9.5 - 10) |
|-------------|--------------|-------------|-------------|-------------|---------------|
| REORDER NO. | 93300060     | 93300070    | 93300080    | 93300090    | 93300100      |

#### PERFORMANCE STANDARDS AND REGULATORY COMPLIANCE



For additional information visit us at www.ansell.com, or call us at

#### **Europe, Middle East & Africa Region** Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 F: +603 8310 6699 North America Region Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133

### Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

**UK** Ansell Nitritex T: +44 1638 663338 F: +44 1638 668890

Ansell, <sup>®</sup> and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

