

**2500 PLUS - Model 111** Durable and breathable microporous laminate technology, Type 3/4/5 protection

#### Previously known as: MICROGARD 2500 PLUS - Model 111

# Chemical coveralls offering superior protection, durability and breathability.

- Heightened defenses: AlphaTec<sup>®</sup> 2500 PLUS Stitched & Taped - Model 111 chemical-resistant coveralls feature excellent protection from biological agents in line with EN 14126 and ASTM F1671 standards
- **Specialized protection:** This protective suit has type 3-B liquid-tight certification, thanks to its stitched and taped seams, ensuring a stronger and more effective liquid and particle barrier
- Reduced risks: Owing to its durable, microporous polypropylene laminate, this protective outer garment also affords breathability, protecting workers from heat stress
- Increased features: In addition, this anti-static suit boasts ultra-low linting to reduce the risk of cross contamination in critical areas, and has been tested according to EN 1149-5 standards





## Industries


- Life Sciences
- Chemical
- Industrial
- Law Enforcement
- Nuclear

# Applications

- Transferring liquids and solids
- Unexpected leakages spills or other releases
- Plant disinfection and sanitization
- Emergency Response
- Spill or leakage cleanup
- Maintenance
- Contaminated
  Environments

## **KEY FEATURES & BENEFITS**

- EN 14126 and ASTM F1671 compliance: Superb protection from biohazards
- **Type 3-B liquid-tight certified:** Safer handling of hazardous liquids
- **Breathable fabric:** Air and water vapor permeable, lowered heat stress





#### **Performance Standards**



### **Product Information**

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	White
Country Of Origin	China
Packaging Overview	Individually Packed
Product Material	Microporous Polypropylene Laminate non-woven
Product Reference	2500 PLUS - Model 111
Standards Overview	CE CATEGORY III (Type 3-B, Type 4-B, Type 5-B, Type 6-B, EN 1073-2, EN 14126, EN 1149-5)
Seam Type	Stitched and Taped
Shelf Life	5 years



# Suit components & accessories

Suit Components and Accessories	
Design Features	Coverall, 3-piece hood, elasticated hood, wrists, waist and ankles. Finger loops and 2-way zip with resealable storm flap.

#### For additional in formation visit us at www.ansell.com, or call us at

**Europe, Middle East & Africa Region** Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 **Australia** Ansell Limited T: +61 1800 337 041

Ansell,  $^{\textcircled{B}}$  and  $^{\texttt{M}}$  are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking B 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

